

Catalogue No: **EIAWE22KTBE5A02**

DELTA AC MAX BASIC 7-22kW EV CHARGER T2 TETHERED 5M CABLE

Electric Vehicle Charging Equipment > AC Chargers > AC Chargers up to 22kW > AC Max 22 kW Chargers > AC Max Three Phase Chargers > Type 2 Tethered Cable



Delta AC Max 22 kW Type 2 Plug 5 m Cable Basic

- Charging at 32 A, 415 V, Three phase, 22 kW output
- IP55 Ingress Protection
- IK09 Enclosure Protection according to IEC62262
- 5 m Type 2 cable (Mennekes)
- Modern and Stylish design
- Maximum charging current selected by hardware DIP switch
- Wall mounted or Stand
- Internal RCD AC 30 mA , DC 6 mA
- Single Phase: 230 V, 50-60 Hz, 32 A (maximum)
- Three Phase:400 V, 50-60 Hz, 16 A, 32 A (maximum)
- CE , UKCA , AS/NZS 3000:2007 , IEC 60947-2 , IEC 61851-1, IEC 62196-2
- 22 kW AC charger improves parking turnover
- Low standby power consumption for energy-saving
- Ideal for Residential Area, Parking , Commercial Buildings

Representative Photo Only
(actual product may vary based on configuration selections)

SPECIFICATIONS

Component Type Electric Vehicle Charging	AC Chargers
Height	371 mm
Width	218 mm
Depth	167 mm
Weight	3.7 kg
Relative Humidity, Max	95 %RH
Operating Temperature, Min	-30 °C min
Operating Temperature, Max	50 °C max
Storage Temperature, Min	-40 °C min
Storage Temperature, Max	80 °C max
CE Marked	Yes
Input Current, Max	32 A max
Output Current, Max	32 A max
Nominal Current	32 A
Circuit Breaker Size	40 A
Input Voltage, 1ph, min (rms)	200 V AC min (rms)
Input Voltage, 1ph, max (rms)	230 V AC max (rms)
Input voltage, 3ph, nom (rms)	415 V AC nom (rms)
Input Voltage, 3ph, min (rms)	400 V AC min (rms)
Input Voltage, 3ph, max (rms)	415 V AC max (rms)
Input Frequency, Min	50 Hz
Input Frequency, Max	60 Hz
Altitude, Operating, Max	2000 m
Connector(s), Vehicle	Type 2 vehicle
Certifications	CE RCM
IK Rating	IK09
IP Rating	IP55

Catalogue No: **EIAWE22KTBE5A02**

DELTA AC MAX BASIC 7-22kW EV CHARGER T2 TETHERED 5M CABLE

Electric Vehicle Charging Equipment > AC Chargers > AC Chargers up to 22kW > AC Max 22 kW Chargers > AC Max Three Phase Chargers > Type 2 Tethered Cable



Standards Compliance	AS/NZS 3000:2007 IEC 60947-2
----------------------	---------------------------------

REFERENCES

IECEX Certificate -


Supplier Declaration of Conformity: -

Installation Guide: -

User Manual: -

Manufacturer Datasheet: -

Manufacturer Catalogue & Product Selection: -



Dimension Diagram